ALIGN™ 7478

2 BAY MEDIA CABINET WITH CONSOLE / MEDIA LEG

INSTRUCTION MANUAL

LET'S GET STARTED.



DESIGN MATTHEW WEATHERLY

BDIUSA.COM

BDi

Congratulations on the purchase of your Align Media Cabinet 7478 from BDI. Your cabinet has been designed to provide a lifetime of enjoyment. This manual will provide you with assembly instructions and other helpful information that will ensure that you get the most out of your cabinet. Please save it for future reference.

Your Align cabinet has been engineered for simple assembly. Please follow these directions carefully to prevent any damage.

Should you need further assistance, contact BDI at customerservice@bdiusa.com.

ENJOY!

HARDWARE AND COMPONENTS

Unpack and identify the parts listed below. The assembly workspace should be a non-marring surface such as carpet. For missing hardware pieces, please contact BDI Customer Service at **customerservice@bdiusa.com**.

Do not use power tools for assembly of this product.

For all other concerns, please contact your BDI retailer.

PART #	
DESCRIPTION	Hex Wrench
QUANTITY	



PART #	
DESCRIPTION	Hex Leveler
QUANTITY	



PART #	
DESCRIPTION	M6 x 18mm Flathead Screw
QUANTITY	



PART #	
DESCRIPTION	M6 x 12mm Screw
QUANTITY	



PART #	H3
DESCRIPTION	M6 x 83mm Flathead Screw
QUANTITY	6

PART #	
DESCRIPTION	KLEET™ Cord Wrap
QUANTITY	

PART #	H5
DESCRIPTION	TV Safety Strap
QUANTITY	1



PART #	
DESCRIPTION	Cabinet
QUANTITY	

PART #	
DESCRIPTION	Base Rail
QUANTITY	



PART #	A3
DESCRIPTION	End Plate
QUANTITY	2

OR



PART #	
DESCRIPTION	Media Leg
QUANTITY	

PART #	
DESCRIPTION	Console Leg
QUANTITY	



PART #	
DESCRIPTION	Lower Back Panel
QUANTITY	

ASSEMBLY **STEP 1.** BUILD THE BASE

Connect **(A3) End Plates** to **(A2) Base Rails** using **8 (H1) Flathead Machine Screws**. Tighten with **(T1) Hex Wrench**.

	T1-HEX WRENCH	1
	H1-FLATHEAD MACHINE SCREW	8



ASSEMBLY **STEP 2.** ATTACH THE LEGS

Connect either **(A4) Media** or **(A5) Console Legs** to the ends of the **base assembly** using **8 (H2) Machine Screws** as shown. Start all screws before fully tightening the screws with **(T1) Hex Wrench**.

	T1-HEX WRENCH	1
	H2-MACHINE SCREW	8